CYB-E20-W

2MP Wi-fi PT Camera - 15 Mtr.

- 1/3" 2MP CMOS Image Sensor
- 1920x1080 @ 15 FPS
- 3.6mm Lens
- H.265 Video Compression
- Wifi Support
- IR Distance 15 Mtr.
- Works With Alexa
- SD Card 128GB Support

works with alexa

1/3" CMOS	2MP 1920P	Digital WDR	IP65	Smart Tracking	Privacy Shutter	2.4 GHz Wi-Fi
CMOS	1920P	D-WDR	IP65	Smart Tracking	Privacy Shutter	2.4 GHz Wi-Fi

Functions

Wi-fi Support

Step into a new era of surveillance simplicity with the incorporation of Wi-Fi technology in this camera.Bid farewell to the maze of cables and the hassle of intricate switch systems.This cutting edge feature transforms the monitoring of enclosed spaces, allowing for a more streamlined and user-friendly experience. With wireless connectivity, the camera seamlessly integrates into your network, enabling remote surveillance with just a few taps on your device. The elimination of physical connections not only enhances convenience but also opens up creative possibilities for optimal camera placement. Experience a hassle-free and efficient approach to surveillance, where the power of Wi-Fi takes center stage in simplifying your security needs.

BETTER SECURITY
BETTER SOLUTION

CYB-E20-W

2MP Wi-fi PT Camera - 15 Mtr.

Feature	Specification
Image Sensor	2MP CMOS Image Sensor
Compression	H.265+, H.265, H.264
Resolution	1920 x 1080P @ 15FPS
Lens	3.6mm, F = 2.8, FOV 120^0
S/N Ratio	> 58dB
IR cut filter	IR cut auto switch
Sensitivity	-36dB $\pm$ 2dB
Pan Range	355^0 , 55^0 UP and Down
Motion Detection	Support
Motion Tracking	Support
Siren	Default , Custom Voice Recordable message for Audio Alerts Broadcast
Privacy Mask	Upto 4 Area
Audio Communication	Two Way Audio
Audio Input	Built in Mic
Audio Output	Inbuilt Speaker
Wireless	IEEE 802.11 b/g/n
Frequency	2.4GHz
Night Mode	Infrared Night Vision + Warm Full Color Night Vision, App Selection
IR Distance	IR LEDs up to 15 meters.

Feature	Specification
SD Card	Max up to 128GB (SD Card not included)
Cloud Storage	Support (Need to Purchase)
Works With Alexa	Support
Smart Phone	iOS & Android (APP : IP Pro)
Woking Temperature	-10^0C - 50^0C
Working Humidity	<95% non-condensing
Power Supply	DC 5V 1A , Type C