

BETTER SECURITY
BETTER SOLUTION

CYBERTRON®

CYB-Z30-4GS

3MP 4G Solar PT Outdoor Camera-15 Mtr.

- 1/3" 3MP CMOS Image Sensor
- 2304x1296 @ 15 FPS
- 3.6mm Lens
- H.265 Video Compression
- 4G Support
- IR Distance 15 Mtr.
- SD Card 256GB Support
- Built in 10800MAH Battery



Functions

4G Connectivity

Elevate your security infrastructure with our cutting-edge CCTV camera equipped with advanced 4G support. Experience seamless and reliable connectivity that ensures real-time monitoring and surveillance, even in remote or challenging locations where traditional network infrastructure may be limited.

Solar Panel:

Presenting our state-of-the-art integration of solar power and advanced surveillance technology through the 4G CCTV Solar Panel System. This groundbreaking solution utilizes solar energy to empower top-tier 4G-enabled security cameras, guaranteeing uninterrupted and dependable surveillance even in remote or off-grid environments.

BETTER SECURITY
BETTER SOLUTION

CYBERTRON®



CYB-Z30-4GS

3MP 4G Solar PT Outdoor Camera-15 Mtr.

Feature	Specification
Image Sensor	3MP CMOS Image sensor
Compression	H.265+, H.265, H.264
Resolution	2304 x 1296P @ 15FPS
Lens	3.6mm , F = 2.8, FOV 120°
S/N Ratio	> 58dB
IR cut filter	IR cut auto switch
Sensitivity	-36dB ± 2dB
Pan Range	355°, 85° UP and Down
Motion Detection	Support
Motion Tracking	Support
Siren	Default , Custom Voice Recordable message for Audio Alerts Broadcast
Privacy Mask	Upto 4 Area
Audio Communication	Two Way Audio
Audio Input	Built in Mic
Audio Output	Inbuilt Speaker
4G Band	FDD-LTE:B1/B3/B5/B8 , TDD-LTE:B34/B38/B39/B40/B41
Solar Panel	7.5W , Built in 10800 MAH Battery, Solar Rechargeable Battery
Night Mode	Infrared Night Vision + Warm Full Color Night Vision, App Selection
IR Distance	IR LEDs up to 15 meters.

 Sales@cybertroncctv.com
 Rma@cybertroncctv.com

 Info@cybertroncctv.com
 Support@cybertroncctv.com

**BETTER SECURITY
BETTER SOLUTION**

CYBERTRON[®]

Feature	Specification
SD Card	Max up to 256GB (SD Card not included)
Cloud Storage	Support (Need to Purchase)
Smart Phone	iOS & Android (APP : IP Pro)
Working Temperature	-10°C - 50°C
Working Humidity	<95% non-condensing
Power Supply	DC 5V 1A , Type C (Without Solar Panel)

 Sales@cybertroncctv.com
 Rma@cybertroncctv.com

 Info@cybertroncctv.com
 Support@cybertroncctv.com